




manufactured by

BERTSCH HOLZBAU

LOG CABIN CONSTRUCTION ■■ PREFABRICATED BUILDINGS ■■ POST-AND-BEAM CONSTRUCTION

THE SPECIAL KIND
OF CUSTOMIZED FASCINATION

*„Your wish...
...from sketch to the manufactured building of your dreams”*



3D drawing



draft



Result



raw material



Assembly



processing



processing



Painting



Transport

„Garden dreams...

...as prefabricated buildings”

CARA EASY 5161 F + 500 AN

Roof Form: Flat Roof
 Thickness: 28 mm, Wall Outside Dim (W/D): 610 x 510 cm
 Ridge Height: 240 cm
 Roof overhang (F/B/L/R): 100 + 20, 20, 520, 10 cm, Roof Slope: 1°
 Doors: ET 100 x 200, ST 85 x 200, ST ... cm, Windows: EF 116 x 40, FF 80 x 80 cm
 Optional Accessories: Downpipe set: 2 x F2




„Comfort zone...“

...surrounded by nature”



MH2 CUBO 3549 ⓘ

Wall formwork: Larch, Roof Form: Flat Roof
 Thickness: 28 mm, Wall Outside Dim (W/D): 350 x 400 cm
 Ridge Height: 250 cm
 Roof overhang (F/B/L/R): 70, 0, 0, 0 cm, Roof Slope: 1°
 Cubic Content: 38 m³, Wall area: 51,3 m², Roof Area: 21 m²
 Doors: FT 240 x 200; ET 98 x 200 cm, Windows: EF 70 x 186 cm
 Optional Accessories: Downpipe set: 2 x F2 (Special), EPDM foil: EPDM-0171



„Pure relax...“

... in home wellness sauna”




CARA EASY WELLNESSSAUNA 4949 Z ⓘ
 Roof Form: Tent Roof
 Thickness: 28 mm, Wall Outside Dim (W/D): 490 x 490 cm
 Roof Overhang All Around: 35 cm, Roof Slope: 48°
 Doors: ET 90 x 200, ET 70 x 200, ET ... cm,
 Windows: FF 150 X 100, 3 x DF 92 x 120 ... cm
 Optional Accessories: 22 x Shingle package



ⓘ If required, we can now also supply sauna heaters and matching accessories for our saunas from the world's leading sauna heater manufacturer, Harvia Sentiotec.



INNENSAUNAKABINE ⓘ
 Roof Form: Flat Roof
 Thickness: 45 mm, Wall Outside Dim (W/D): 204 x 204 cm
 Ridge Height: 202 cm
 Roof Overhang All Around: 0 cm
 Doors: ET 68 x 192 cm, Windows: FF 76 x 195 cm



SAUNALIEGE ⓘ
 Wall Outside Dim (W/D): 70 x 163 cm
 Wall height front: 41 cm
 Wall height back: 73 cm
 Optional Accessories: ...





ID 1402


ALESUND
 Roof Form: Apex Roof
 Thickness: 58 mm, Wall Outside Dim (W/D): 450 x 500 cm
 Side Wall Height: 231 cm, Ridge Height: 310 cm
 Roof overhang (F/B/L/R): 30, 30, 48,6, 48,6 cm, Roof Slope: 18 / 26°
 Doors: 2 x ET 88 x 200, FT 240 x 200 cm, Windows: FF 98 x 193, EF 98 x 112 cm
 Optional Accessories: Gutter: 370B, 21 x Shingle package

If required, we can now also supply sauna heaters and matching accessories for our saunas from the world's leading sauna heater manufacturer, Harvia Sentiotec.



ID 1523

RIMINI
 Roof Form: Flat Roof
 Thickness: 58 mm, Wall Outside Dim (W/D): 212 x 509 cm
 Roof overhang (F/B/L/R): 50, 30, 30, 30 cm, Roof Slope: 1°
 Doors: ET 98 x 200 cm, Windows: FF 150 x 63, EF 150 x 63 cm
 Optional Accessories: Downpipe set: 2 x F2



ID 1395



ÖRESUND
 Roof Form: Apex Roof
 Thickness: 58 mm, Wall Outside Dim (W/D): 200 x 300 cm
 Side Wall Height: 204 cm
 Roof Overhang All Around: 25 cm, Roof Slope: 30°
 Doors: ET 88 x 186, ET 75 x 186 cm, Windows: 3 x FF 63 x 88, 1 x EF 63 x 88 cm
 Optional Accessories: 7 x Shingle package



ID 1518



GRÜNWALD
 Roof Form: Pent Roof
 Thickness: 58 mm, Wall Outside Dim (W/D): 212 x 467 cm
 Roof overhang (F/B/L/R): 50, 30, 30, 30 cm, Roof Slope: 6°
 Doors: ET 98 x 200 cm, Windows: FF 150 x 100, FF 54 x 200 cm
 Optional Accessories: Gutter: 303B

„Garden houses...“

...as individual as you!“




LOLLAND
 Roof Form: Flat Roof
 Thickness: 58 mm, Wall Outside Dim (W/D): 312 + 350 x 362 cm
 Side Wall Height: 244 cm
 Roof Overhang All Around: 30 cm, Roof Slope: 3°
 Doors: ET 98 x 200, ET 86 x 200 cm, Windows: 2 x FF 79,6 x 200 cm
 Optional Accessories: Downpipe set: 2 x F1



EDINBURGH
 Roof Form: Apex Roof
 Thickness: 58 mm, Wall Outside Dim (W/D): 450 x 500 cm
 Side Wall Height: 231 cm, Ridge Height: 310 cm
 Roof Overhang All Around: 25 / 41 cm, Roof Slope: 18 / 26°
 Cubic Content: 92 m³, Wall area: 56 m², Roof Area: 47 m²
 Doors: DT 160 x 200, FT 240 x 200 cm, Windows: EFB 98 x 112 cm
 Optional Accessories: Gutter: 370B, 21 x Shingle package



MONACO
 Roof Form: Pent Roof
 Thickness: 45 mm, Wall Outside Dim (W/D): 430 x 430 cm
 Wall height front: 276 cm
 Wall height back: 222 cm
 Roof overhang (F/B/L/R): 110, 40, 40, 40 cm, Roof Slope: 7°
 Cubic Content: 49 m³, Wall area: 50 m², Roof Area: 30 m²
 Doors: ST 170 x 215 cm, Windows: 2 x FF 70 x 215, ... cm
 Optional Accessories: Gutter: 303B, 12 x Shingle package



RÜGERSBERG (45 mm)
 Roof Form: Apex Roof
 Thickness: 45 mm, Wall Outside Dim (W/D): 380 x 380 cm
 Side Wall Height: 204 cm, Ridge Height: 265 cm
 Roof overhang (F/B/L/R): 135, 20, 30, 30 cm, Roof Slope: 18°
 Cubic Content: 33,6 m³, Wall area: 35,8 m², Roof Area: 25 m²
 Doors: DT 160 x 186 cm, Windows: EF 88 x 88 cm
 Optional Accessories: Gutter: 323Bx, 10 x Shingle package



„Time for...
...wellness“



ID 1393

KINGSTON
 Roof Form: Hipped Roof
 Thickness: 70 mm, Wall Outside Dim (W/D): 400 x 900 cm
 Side Wall Height: 231 cm
 Roof Overhang All Around: 30 cm, Roof Slope: 25°
 Doors: 2 x DT 150 x 200, ET 98 x 200 cm, Windows: 2 x FF 70 x 200, EF 88 x 88, ... cm
 Optional Accessories: Gutter: 2 x K4B, 23 x Shingle package



ID 545

ROME
 Roof Form: Tent Roof
 Thickness: 94 mm, Wall Outside Dim (W/D): 500 x 500 cm
 Side Wall Height: 233 cm, Ridge Height: 365 cm
 Roof Overhang All Around: 40 cm, Roof Slope: 25°
 Cubic Content: 72 m³, Wall area: 50 m², Roof Area: 35 m²
 Doors: DT 114 x 200 cm, Windows: 3 x DF 110 x 200 cm
 Optional Accessories: Gutter: 346B, 15 x Shingle package



*„The perfect gazebo...
...for your garden”*

Have a look inside!




ID 756



HELENA 12-70 Z
 Roof Form: Tent Roof
 Diameter: 700 cm
 Side Wall Height: 268 cm, Ridge Height: 525 cm
 Roof Overhang All Around: 50 cm, Roof Slope: 30°
 Roof Area: 58,5 m²
 Optional Accessories: adjustable post anchor: 12 x PFA-01, 33 x Shingle package Copper, cap: KH-01

HELENA 12-50 Z
 Roof Form: Tent Roof
 Thickness: 58 mm
 Diameter: 500 cm
 Side Wall Height: 250 cm
 Roof Overhang All Around: 40 cm, Roof Slope: 29°
 Optional Accessories: adjustable post anchor: 12 x PFA-01, 18 x Shingle package





ID 1389

MH CUBO HPL 3160



Wall formwork: HPL / 6 mm, Roof Form: Flat Roof
 Wall Outside Dim (W/D): 310 x 600 cm
 Ridge Height: 280 cm
 Roof Slope: 1°
 Optional Accessories: Downpipe set: 2 x F2, EPDM foil: EPDM-0047



ID 13



MH2 2328 ALU KOMPOSIT



Wall formwork: ALU composite / 4 mm, Roof Form: Pent Roof
 Wall Outside Dim (W/D): 230 x 280 cm
 Wall height back: 220 cm
 Ridge Height: 250 cm
 Roof overhang (F/B/L/R): 50, 25, 25, 25 cm, Roof Slope: 7°
 Cubic Content: 13,6 m³, Wall area: 24 m², Roof Area: 10 m²
 Doors: DT 150 x 200 cm, Windows: EF 50 x 110 cm
 Optional Accessories: Gutter: 401Bx, EPDM foil: EPDM-0036



ID 785

MH CUBO 2830 ALU KOMPOSIT + 310 SD



Wall formwork: ALU composite / 4 mm, Roof Form: Flat Roof
 Wall Outside Dim (W/D): 280 x 296 cm
 Ridge Height: 250 cm
 Roof overhang (F/B/L/R): 0, 0, 0, 310 cm, Roof Slope: 1°
 Doors: ST 122 x 200 cm
 Optional Accessories: Downpipe set: F2 (Special), EPDM foil: EPDM-0049



ID 1413



MH CUBO HPL 2515



Wall formwork: HPL / 6 mm, Roof Form: Flat Roof
 Wall Outside Dim (W/D): 250 x 150 cm
 Ridge Height: 230 cm
 Roof Slope: 1°
 Doors: ST 90 x 187,6 cm
 Optional Accessories: Downpipe set: F2, EPDM foil: EPDM-0001

„For a short break...“


...does not matter when”



STEIERMARK
 Wall formwork: Spruce, Roof Form: Apex Roof
 Thickness: 70 mm, Wall Outside Dim (W/D): 380 x 380 cm
 Side Wall Height: 240 cm, Ridge Height: 290 cm
 Roof overhang (F/B/L/R): 200, 30, 30, 30 cm, Roof Slope: 16°
 Doors: DT 180 x 208 cm, Windows: EF 88 x 88, EF 60 x 40 cm
 Optional Accessories: Gutter: 324B, adjustable post anchor: 2 x PFA-01, 12 x Shingle package




AUMÜHLE
 Roof Form: Flat Roof
 Thickness: 70 mm, Wall Outside Dim (W/D): 414 x 464 cm
 Side Wall Height: 272 cm
 Roof overhang (F/B/L/R): 150, 150, 40, 40 cm, Roof Slope: 1°
 Doors: ET 92 x 215 cm, Windows: 2 x EF 80 x 215, DF 190 x 215 ... cm
 Optional Accessories: Downpipe set: F2, EPDM foil: EPDM-0185



TIROL
 Roof Form: Pent Roof
 Thickness: 45 mm, Wall Outside Dim (W/D): 250 x 280 cm
 Wall height front: 225 cm
 Wall height back: 218 cm
 Roof Overhang All Around: 30 cm, Roof Slope: 2°
 Doors: DT 150 x 194 cm, Windows: DF 140 x 102, FF 140 x 194, ... cm
 Optional Accessories: Gutter: 303B, EPDM foil: EPDM-0047



MELAGO
 Roof Form: Flat Roof
 Thickness: 45 mm, Wall Outside Dim (W/D): 200 x 200 cm
 Roof overhang (F/B/L/R): 30, 30, 50, 30 cm, Roof Slope: 1°
 Doors: ET 98 x 200 cm
 Optional Accessories: Downpipe set: F2,





ID 739



GARAGE CARA 7282 S

Roof Form: Apex Roof
 Thickness: 28 mm, Wall Outside Dim (W/D): 720 x 820 cm
 Side Wall Height: 254 cm, Ridge Height: 517 cm
 Roof Overhang All Around: 50 cm, Roof Slope: 31°
 Doors: 2 x DT 250 x 218, ET 110 x 210 cm, Windows: 2 x EF 98 x ... cm
 Optional Accessories: Gutter: 325Bx, 33 x Shingle package



ID 28



CARPORT BUTTERFLY

Roof Form: Butterfly Roof
 Thickness: 28 mm, Wall Outside Dim (W/D): 1328 / 674 x 569 / 335 cm
 Ridge Height: 394 cm
 Roof Overhang All Around: 30 cm, Roof Slope: 10°
 Doors: 250 x 250; 240 x 238,7 cm, Windows: 255,5 x 40; 2 x 44,5 x 170 cm
 Optional Accessories: Gutter: 304B, Downpipe set: 2 x F2



CARA REMISE 6040 S + 300 CARPORT

Roof Form: Apex Roof
 Thickness: 28 / 28 mm, Wall Outside Dim (W/D): 600 + 300 x 400 cm
 Side Wall Height: 220 cm, Ridge Height: 345 cm
 Roof overhang (F/B/L/R): 100, 30, 30, 300 cm, Roof Slope: 15 / 49°
 Doors: 2 x ET 100 x 200 cm



ID 1482



„In the new bikeport...“

...4 bikes comfortably stowed on 6 m²”



ID 1418

CARA EASY BIKEPORT 1736 F ⓘ
 Wall Outside Dim (W/D): 170 x 360 cm
 Side Wall Height: 220 cm
 Roof Overhang All Around: 20 cm
 Optional Accessories: Downpipe set: F1, EPDM foil: EPDM-0059



ID 1513

CARA EASY BIKEPORT 2034 F ⓘ
 Roof Form: Flat Roof
 Thickness: 25 mm, Wall Outside Dim (W/D): 200 x 340 cm
 Side Wall Height: 220 cm
 Roof Overhang All Around: 20 cm
 Doors: 2 x ST 175 x 213 cm
 Optional Accessories: Downpipe set: F1, EPDM foil: EPDM-0008



ID 30

BIKEPORT 14 ⓘ
 Roof Form: Butterfly Roof
 Wall Outside Dim (W/D): 340 x 240 cm
 Side Wall Height: 200 cm, Ridge Height: 243 cm
 Roof overhang (F/B/L/R): 95, 95, 30, 30 cm, Roof Slope: 10°
 Optional Accessories: Downpipe set: F2, EPDM foil: EPDM-0010



ID 763

BIKEPORT 2 - PLUS ⓘ
 Roof Form: Pent Roof
 Wall Outside Dim (W/D): 338 x 170 cm
 Ridge Height: 257 cm
 Roof overhang (F/B/L/R): 30, 0, 30, 50 cm, Roof Slope: 4°
 Optional Accessories: EPDM foil: EPDM-0009

... well stored”



MH GERÄTESCHRANK 03 ⓘ
 Roof Form: Pent Roof
 Thickness: 28 mm, Wall Outside Dim (W/D): 85 x 240 cm
 Wall height back: 256 cm
 Side Wall Height: 242 cm
 Roof Slope: 10°
 Doors: DT 148 x 199 cm
 Optional Accessories: Gutter: 401B, 2 x Shingle package



MH GARTENSCHRANK 01 ⓘ
 Roof Form: Pent Roof
 Thickness: 19 mm, Wall Outside Dim (W/D): 100 x 240 cm
 Side Wall Height: 195 cm, Ridge Height: 210 cm
 Roof Overhang All Around: 10 cm, Roof Slope: 7°
 Doors: DT 132 x 186 cm
 Optional Accessories: Gutter: 401B, 2 x Shingle package



MH 2130 W ⓘ
 Roof Form: Hipped Roof
 Thickness: 28 mm, Wall Outside Dim (W/D): 210 x 300 cm
 Side Wall Height: 197 cm
 Roof overhang (F/B/L/R): 25, 25, 20, 20 cm, Roof Slope: 40°
 Doors: ET 98 x 200 cm, Windows: EF 60 x 60 cm
 Optional Accessories: Gutter: 322B, 6 x Shingle package



„Great variety...
...in CARA design”



CARA EASY CUBO 2966 F ⓘ
 Roof Form: Flat Roof
 Thickness: 25 mm, Wall Outside Dim (W/D): 290 x 660 cm
 Roof Overhang All Around: 0 cm
 Doors: ST 120 x 200 cm
 Optional Accessories: Downpipe set: F2




ID 1516



CARA FLACO 3535 F + 2 x SD 350 x 350 ⓘ
 Roof Form: Flat Roof
 Thickness: 28 mm, Wall Outside Dim (W/D): 350 x 350 cm
 Side Wall Height: 231 cm
 Roof Overhang All Around: 30 cm, Roof Slope: 1°
 Doors: DT 150 x 200, 2 x ET 80 x 200 cm, Windows: 2 x FF 120 x 120 cm
 Optional Accessories: Downpipe set: F1, EPDM foil: EPDM-0185 EPDM-0061

ID 782



CARA SOLAIR 4085 F ⓘ
 Roof Form: Flat Roof
 Thickness: 28 mm, Wall Outside Dim (W/D): 400 x 850 cm
 Wall height back: 240 cm
 Roof overhang (F/B/L/R): 50, 30, 30, 30 cm, Roof Slope: 2°
 Doors: ST 289 x 200, 2 x DT 130 x 200 cm, Windows: EF 80 x 200, FF 80 x 200, EF ... cm
 Optional Accessories: Downpipe set: 2 x F2, EPDM foil: EPDM-0115

ID 783




CARA ASTA 4560 S ⓘ
 Roof Form: Apex Roof
 Thickness: 28 mm, Wall Outside Dim (W/D): 450 x 600 cm
 Side Wall Height: 172 cm, Ridge Height: 366 cm
 Roof overhang (F/B/L/R): 30, 30, 50, 50 cm, Roof Slope: 38°
 Doors: ST 151 x 214 cm, Windows: 2 x EF 88 x 88 cm
 Optional Accessories: Gutter: 324B, 1,7 x Shingle package



ID 764



ID 40



REISBACH

Roof Form: Apex Roof
 Thickness: 94 mm, Wall Outside Dim (W/D): 818,5/200 x 618,8/750 cm
 Side Wall Height: 405 cm, Ridge Height: 640 cm
 Roof overhang (F/B/L/R): 90, 90, 70, 70 cm, Roof Slope: 25°
 Cubic Content: 250 m³, Wall area: 185 m², Roof Area: 85 m²
 Doors: DT 164 x 210; ET 98 x 210; 3 ... cm, Windows: EF 80 x 60; DF 164 x 268; EF ... cm
 Optional Accessories: Gutter: 328KB, Downpipe set: 2 x F2, EPDM foil: EPDM-0023



MH 3034 CUBO GARDEN OFFICE ⓘ

Wall formwork: Spruce, Roof Form: Flat Roof
 Thickness: 21 mm, Wall Outside Dim (W/D): 301 x 344 cm
 Side Wall Height: 250 cm, Ridge Height: 250 cm
 Roof Overhang All Around: 0 cm, Roof Slope: 1°
 Doors: DT 160 x 210 cm, Windows: EF 77 x 210, FF 77 x 210 cm
 Optional Accessories: Downpipe set: F2 (Special), EPDM foil: EPDM-0035

ID 1505



„Pure nature and complete recycling...“

...of timber from Scandinavian forests”



Raw material



Processing



Recycling



Recycling



Our nature and environment are very important to us and we obtain the timber for the production of BHB products from sustainably reforested areas (Norway, Sweden). We deliver the very high-quality bespoke models throughout Europe and also overseas. We fully utilize the wood waste by producing pellets for energy generation.



Dealer's address



Discover our diversity  www.bertsch-holzbau.eu

You can obtain extensive information about our products from the authorized dealer!

The articles, images and drawings in this catalog are protected by copyright. Reprinting, even in part, is strictly prohibited and requires our explicit written approval. Colour deviations from the original colours are due to the printing process.

We reserve the right to make technical changes, errors and interim model changes, reclamations resulted from these reasons are excluded. Illustrations may show special accessories that are not included in the offer. All floor plans shown are not to scale and are for illustration purposes only. All models are delivered unpainted, without roof cover material.