

THE SPECIAL KIND
fascination made to measure





BHB Bertsch HolzBau is a traditional, family-run company specializing in custom timber constructions tailored to individual customer requirements.

Our portfolio ranges from log houses to garden houses and saunas, as well as carports and custom outdoor spaces—all crafted with precision to match our customers' exact specifications. From planning and production to installation, we provide comprehensive support to our clients, ensuring that every project is executed uniquely and perfectly.

With over 450 partners across Europe, we have an international presence and are exceptionally well-equipped for demanding, custom timber construction projects.

BHB




Configuration

When designing your house, nearly anything is possible!

You can determine the exact size of your house down to the millimeter, choose the shape and type of roof, freely arrange the interior walls, select the appropriate windows and doors including glazing, choose the color finish, pick from numerous accessories—and much, much more!

We manufacture everything, as long as it is technically feasible!



WINDOWS

We manufacture every window and door according to the individual wishes of our customers

You choose the size and shape yourself – whether square, triangular, or round! You decide which glazing is installed, select the type of glass, and choose the finish.

There are no restrictions – your creativity knows no bounds!



DOORS



No matching doors or windows?

We manufacture these according to your specifications! Any size or shape.



We paint doors and windows in any color.





EDINBURGH

Wall thickness	58 mm	Roof overhang all around	25 / 41 cm
Exterior wall dimensions (W/D)	450 x 500 cm	Roof slope	18 / 26 °
Side wall height	231 cm	Doors	DT 160 x 200, FT 240 x 200 cm
Ridge height	310 cm	Windows	EFB 98 x 112 cm



ID521



BLANKENESE

Wall thickness	58 mm	Roof overhang all around	38,8, 30, 30, 38,8 cm
Exterior wall dimensions (W/D)	400/300 x 800/400 cm	Roof slope	25/19 °
Side wall height	231,5 cm	Doors	3 x DT 160 x 200; ET 98 x 200; ET 88 x 186 cm
Ridge height	327 cm	Windows	DF 110 x 88 cm



ID39



ROME

Wall thickness	94 mm	Roof overhang all around	40 cm
Exterior wall dimensions (W/D)	500 x 500 cm	Roof slope	25 °
Side wall height	233 cm	Doors	ET 114 x 200 cm
Ridge height	365 cm	Windows	3 x EF 110 x 200 cm



ID545





CARA FIESTA 7839 F + 355 AN

Wall thickness	25 mm	Roof slope	1 °
Exterior wall dimensions (W/D)	390 x 635 cm	Doors	ST 150 x 200, 2 x ET 88 x 200 cm
Rear wall height	240 cm	Windows	2 x EF 180 x 50, 2 x EF 100 x 40, FF 120 x 120, 2 x 100 x 200 cm
Roof overhang all around	30 cm		



ID1608



CARA FLACO

Wall thickness	28 mm	Roof slope	1 °
Exterior wall dimensions (W/D)	350 x 350 cm	Doors	DT 150 x 200, 2 x ET 80 x 200 cm
Side wall height	231 cm	Windows	2 x FF 120 x 120 cm
Roof overhang all around	30 cm		



ID782



7035 P

Wall thickness	28 mm	Roof overhang all around	40 cm
Exterior wall dimensions (W/D)	350 x 700 cm	Roof slope	9 °
Rear wall height	288 cm	Doors	DT 190 x 210, ET 110 x 210 cm
Front wall height	235 cm	Windows	3 x EF 90 x 170 cm



ID1604



CARA EASY 4297 F

Wall thickness	5 mm	Roof overhang all around	20 cm
Exterior wall dimensions (W/D)	415 x 970 cm	Roof slope	1 °
Side wall height	244 cm	Doors	DT 150 x 200; ET 98 x 200 cm
Ridge height	250 cm	Windows	4 x EF 98,4 x 40 cm



ID17



CARA WESEL 2944 P + 100 SD

Wall thickness	28 mm	Roof overhang (F/B/L/R)	30, 20, 20, 20 cm
Exterior wall dimensions (W/D)	294/332 x 436 cm	Roof slope	8 °
Side wall height	197 cm	Doors	ET 115 x 200 cm
Ridge height	240 cm	Windows	2 x EF 70 x 170 cm



ID15




MH 2130 W

Wall thickness	8 mm	Roof slope	40 °
Exterior wall dimensions (W/D)	210 x 300 cm	Doors	ET 98 x 200 cm
Side wall height	197 cm	Windows	EF 60 x 60 cm
Roof overhang (F/B/L/R)	25, 25, 20, 20 cm		



ID743



MH 1040 F Toolbox

Wall thickness	15 mm	Doors	ST 125 x 200 cm
Exterior wall dimensions (W/D)	104 x 400 cm	Windows	EF 100 x 40 cm



ID1487



RÜGERSBERG (33 MM)

Wall thickness	33 mm	Roof overhang (F/B/L/R)	135, 20, 30, 30 cm
Exterior wall dimensions (W/D)	380 x 380 cm	Roof slope	18 °
Side wall height	204 cm	Doors	DT 150 x 186 cm
Ridge height	265 cm	Windows	EF 88 x 88 cm



ID493



AVON

Wall thickness	58 mm	Roof overhang (F/B/L/R)	100, 330, 50, 50 cm
Exterior wall dimensions (W/D)	452 x 502 cm	Roof slope	12 / 17 °
Side wall height	244,8 / 285,6 cm	Doors	2 x ET 115 x 210 cm
Ridge height	353,6 cm	Windows	4 x EF 70 x 180 cm



ID527





MH2 CUBO 3549

Wall thickness	28 mm	Roof slope	1 °
Exterior wall dimensions (W/D)	350 x 400 cm	Doors	FT 240 x 200; ET 98 x 200 cm
Ridge height	250 cm	Windows	EF 70 x 186 cm
Roof overhang (F/B/L/R)	70, 0, 0, 0 cm		



ID8





MILANO

Wall thickness	58 mm	Roof slope	8 °
Exterior wall dimensions (W/D)	200 x 300 cm	Doors	ET 88 x 200 cm
Side wall height	196,5 cm	Windows	EF 56 x 173 cm
Roof overhang (F/B/L/R)	17, 17, 17, 17 cm		



ID2011



CARA ETTAGONO 1520 F + 110 AN

Wall thickness	28 mm	Roof slope	1 °
Exterior wall dimensions (W/D)	200+110AN x 150 cm	Doors	ET 85 x 200, DT 150 x 200 cm
Side wall height	233 cm	Windows	5 x EF 90 x 200, EF 60 x 60 cm
Roof overhang all around	30 cm		



ID397





CARPORT 9XX

Roof Type	Flat roof	Side wall height	296 cm
Exterior wall dimensions (W/D)	750 x 660 cm	Roof slope	1 °



ID1600





CARA EASY WELLNESSSAUNA 4949 Z

Wall thickness	28 mm	Doors	ET 90 x 200, ET 70 x 200, ET 78 x 200 cm
Exterior wall dimensions (W/D)	490 x 490 cm	Windows	FF 150 X 100, 3 x DF 92 x 120, FF 119 x 79, EF 60 x 40 cm
Roof overhang all around	35 cm		
Roof slope	48 °		



ID1417



ALESUND

Wall thickness	58 mm	Roof slope	18 / 26 °
Exterior wall dimensions (W/D)	450 x 500 cm	Doors	2 x ET 88 x 200, FT 240 x 200 cm
Side wall height	231 cm	Windows	FF 98 x 193, EF 98 x 112 cm
Roof overhang (F/B/L/R)	30, 30, 48,6, 48,6 cm		



ID1402



LOLLAND

Wall thickness	58 mm	Roof overhang (F/B/L/R)	3 °
Exterior wall dimensions (W/D)	312 + 350 x 362 cm	Doors	ET 98 x 200, ET 86 x 200 cm
Side wall height	244 cm	Windows	2 x FF 79,6 x 200 cm
Roof overhang all around	30 cm		



ID1486



CHIAMSEE

Wall thickness	58 mm	Roof overhang (F/B/L/R)	5, 15, 5, 5 cm
Exterior wall dimensions (W/D)	229 x 334 cm	Doors	ET 80 x 200 cm
Side wall height	210 cm	Windows	EF 150 x 60 cm



ID1517



TRIENT

Exterior wall dimensions (W/D) 562 x 244 cm

Side wall height 256 cm

**Windows
and doors**

ET 80 X 200 / FF 110 X 200 / FF 142
X 200 / EB 100 X 200 / ET 80 X 200



ID2047





Bikeport 2 Plus

Exterior wall dimensions (W/D) 338 x 170 cm **Roof overhang (F/B/L/R)** 30, 0, 30, 50 cm
Ridge height 257 cm **Roof slope** 4 °



ID763



BIKEPORT 14

Roof Type Butterfly roof **Roof overhang (F/B/L/R)** 95, 95, 30, 30 cm
Exterior wall dimensions (W/D) 340 x 240 cm **Roof slope** 10 °
Side wall height 200 cm



ID30



CARPORT CICERO 5750 F + 3027 AN

Wall thickness	45 mm	Rear wall height	70, 20, 20, 20 cm
Exterior wall dimensions (W/D)	567 x 500 cm	Roof slope	1 °
Roof overhang (F/B/L/R)	263 cm	Doors	DT 150 x 186 cm
Front wall height	258 cm	Windows	EF 75 x 88 cm



ID444



Garage Belfast

Wall thickness	70 mm	Roof overhang all around	30 cm
Exterior wall dimensions (W/D)	600 x 1260 cm	Roof slope	25 °
Side wall height	245 cm	Doors	GT-DT 240 x 213 GG cm



ID1509

GARAGE BELLEVUE 7266 W

Wall thickness	28 mm	Roof overhang (F/B/L/R)	4, 24, 40, 40 cm
Exterior wall dimensions (W/D)	720 x 660 cm	Roof slope	30 / 52 °
Side wall height	269 cm	Doors	ET 99 x 210, DT 460 x 210 cm
Ridge height	487 cm	Windows	DF 133 x 112 cm



ID447




Garage CARA 7282 S

Wall thickness	28 mm	Roof overhang all around	0 cm
Exterior wall dimensions (W/D)	720 x 820 cm	Roof slope	31 °
Side wall height	254 cm	Doors	2 x DT 250 x 218, ET 110 x 210 cm
Ridge height	517 cm	Windows	2 x EF 98 x 98, 2 x FF 98 x 98, EF 60 x 60 cm



ID739





STEIERMARK

Wall thickness	70 mm	Roof overhang (F/B/L/R)	200, 30, 30, 30 cm
Exterior wall dimensions (W/D)	380 x 380 cm	Roof slope	16°
Side wall height	240 cm	Doors	DT 180 x 208 cm
Ridge height	290 cm	Windows	EF 88 x 88, EF 60 x 40 cm



ID1409



MONACO

Wall thickness	45 mm	Roof overhang (F/B/L/R)	110, 40, 40, 40 cm
Exterior wall dimensions (W/D)	430 x 430 cm	Roof slope	7°
Front wall height	276 cm	Doors	ST 170 x 215 cm
Rear wall height	222 cm	Windows	2 x FF 70 x 215, 2 x FF 80 x 215, DF 120 x 50 cm



ID498



NATALIA

Wall thickness	70 mm	Wall area	101,6 m ²
Exterior wall dimensions (W/D)	600 x 650 cm	Roof Area	72 m ²
Side wall height	272 cm	Roof overhang (F/B/L/R)	100, 40, 70, 70 cm
Ridge height	410 cm	Roof slope	26°



ID555





Helena 12-70Z

Diameter	700 cm	Roof overhang all around	50 cm
Side wall height	268 cm	Roof slope	30 °
Ridge height	525 cm		



ID756



Helena 3040 S

Exterior wall dimensions (W/D)	300 x 400 cm	Roof slope	4 °
Ridge height	275 cm		
Wall thickness	25 mm		



ID23



Discover our variety and individuality online at:

 www.bertsch-holzbau.eu

 [bertschholzbau](https://www.instagram.com/bertschholzbau)

 [BHB Bertsch Holzbau](https://www.facebook.com/BHB.Bertsch.Holzbau)



Dealer address

„Extensive information about our products is available from your authorized dealer! The content, images, and drawings in this brochure are protected by copyright. Any reproduction, even in part, is strictly prohibited and requires our express written permission. Color deviations from the original shades may occur due to printing processes. We reserve the right to make technical changes, correct errors, and implement interim model modifications; no entitlement to a specific model is implied. Illustrations may show optional accessories that are not included in the delivery.

Drawings are not to scale. All models are delivered in raw condition (unpainted, without roofing).